

INDEX

Things in this book are listed in the order of the alphabet:

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

Page numbers in **bold** tell you where to find the main reference in this book.
Medicines included in the Green Pages are in the Index of Medicines, p. 341.

A

Abdomen (See Belly)
Abortion, 243, 284, **414–415**
 (Also see Miscarriage)
Abscess, 419
 breast, 278
 caused by injecting, 67, 69, 74
 liver, 144–145
 of the teeth, 230–231
 under the skin, 202
Acid Indigestion, 128–129
Acne (pimples), 211, 395, 419
Acquired Immune Deficiency Syndrome (See AIDS)
Acupuncture, 74, 401
Acute abdomen, 15, **93–94**, 419
 (Also see Gut, Swollen belly)
Addiction, 416–417
Afterbirth (placenta), **262–264**, 269, 426
AIDS, 75, 153, 171, 236, 245, 286, 290, 396, **399–401**, 416
 and medicines, 359, 397–398
 and pregnancy, 249, 398
 and shingles, 204
 and thrush, 232
 and tuberculosis, 179
Alcoholic drinks
 and heat stroke, 81
 problems caused by, 119, 148–149, 325, 326, 400, 416
Alcoholics Anonymous, 149, 417, 429
Alcoholism, **148–149**, 416–417, 419
Allergic reaction, 23, 54, **166**
 in the skin, 203, 285, 290
 medicines for, 337, 386–387
 to medicines, 54, 56, 68, 70–71, 351
Allergic rhinitis (hay fever), **165**, 427
Allergic shock, **70**, 105, 351, 386–387, 410
Aloe vera, 13, 129
Amebas, **144–145**, 336, 368–369, 419
Amputation, 409, 419
Anabolic steroids, 51
Analgesics (painkillers), 379–380
Anemia, **124**, 419
 causes of, 113, 124
 during pregnancy, 248–249
 in children, 307, 321
 treatment, 335, 392–394

Anesthetics, 380–381
Angel's Trumpet, 12
Angina pectoris, 325
Antacids, 52, 64, **129**, 248, 324, 381–382
Antibiotics, 52, **55–58**, 156, 351–365
Anti-diarrhea medicines, 156
Antihistamine, 70, 165, 204, **386–387**, 419
Antiretroviral medicines, 397–398
Antispasmodic, 235, 329, **381**
Antitoxins, **388–389**, 419
 and allergic shock, 70, 105
 for tetanus, 389
 (Also see Antivenom)
Antivenom, 70, 388–389
 for scorpion sting, 388
 for snakebite, 105, 388
Anus, **233**, 419
 hemorrhoids in it, 175
 sores in it, 238, 400, 402, 403
Apoplexy, 37, 78, 288, **327**
Appendicitis, 36, **94–95**
Appendix, **94**
Arms
 muscles and nerves in, 37
 numbness or pain in, 23, 325
Arteriosclerosis, 326
Arthritis (joint pain), **173**, 324
 medicines for, 51, 379–380
Ascaris (roundworm), **140–141**, 420
 and asthma, 167
Asthma, **167**, 337, 385–386
Athlete's foot, 205

B

Babies
 examining, 34
 feeding, 120–121
 with diarrhea, 159, 359
 with skin problems, 215
 (Also see Children, Newborns)
Back pain, **173–174**, 248
Bacteria, **19**, 55, 420
Bacterial dysentery, 145
Bacterial infection of the blood, 273–275
Bag of waters, 256, 258, **259–260**, 420
Bandages, 85, 87, **101–102**, 336

Bathing

- and hygiene, 133
- newborns and babies, 7, 215, 263
- postpartum mothers, 8, 276
- sick persons, 7, 39

B.C.G. vaccination, 147, 180, 185

Beaded lizard bite, 106

Bedbugs, 200

Bed sores, 13, 214, 420

Beliefs

- harmful, 4, 5, 10–11
- healing power of, 2

Bell's Palsy, 327

Belly

- acute abdomen, 93–94
- examination of, 35–36
- lumps in, 280
- pain in lower belly, 243
- (Also see Gut, Swollen Belly)

Bewitchment, 2, 6, 420

Bilharzia, 146

Biliousness, 329

Birth (See Childbirth)

Birth control (See Family planning)

Birth control pills, 285, 286–289, 394–395, 410

Birth defects, 6, 247, 272, 289, 318–321, 412

Birth kits, 254–255

Birth opening (See Vagina)

Bites

- of wild animals (rabies), 181
- poisonous, 104–106
- that may cause infection, 89
- treatment, 86

Bitot's spots, 226

Black flies, 227–228

Blackheads, 211, 420

Black magic, 5, 24

Black widow spider bite, 106

Bladder, 233

- infection, 243
- stones, 234, 235

Bleach, 74, 401

Bleeding

- and anemia, 124
- during menopause, 246
- during pregnancy, 249, 281
- gums, 107, 231
- how to control, 13, 82–83
- in an unconscious person, 78
- in the whites of the eyes, 225
- of the newborn, 272, 337, 394
- severe, 82, 243, 246, 264, 281, 404, 410, 414
- stopping after birth, 263–266, 337, 391
- (Also see Blood)

Blindness, 221–222, 412

- from injuries to the eye, 218
- night blindness, 113, 226–227
- protection for babies, 221, 237, 379
- river blindness, 227–228, 378

Blisters

- from medicines, 358, 361

- from touching certain plants, etc., 204
- with burns, 96
- with chickenpox, 311
- with eczema, 216

Blood

- and AIDS, 75, 82–84, 399, 401
- clots, 288
- coughing up blood, 168
- flukes, 146
- in stools, 128, 144–146, 157–158, 306, 401
- in the urine, 146, 234
- in vomit (cirrhosis), 328
- in vomit (ulcer), 128
- (Also see Bleeding)

Blood pressure, 420

- high, 125, 249, 288, 325–326, 395, 411
- how to measure, 410–411
- low, 77, 411
- (Also see Shock)

Blood transfusion, 401

Blueness of skin, lips, and nails, 30

Body-building foods, 110

Boil (abscess), 202, 420

Bones

- calcium for, 246
- deformities of, 125, 319
- hit by a bullet, 90
- that have come out of place at a joint, 101
- (Also see Broken bones)

Bottle feeding, 120, 154, 296

Bowel movement, 242, 420

- (Also see Feces, Stools)

Braces, 315

Brain damage, 319–320

- and fits, 319
- from high fever, 76
- from tapeworm cysts, 143

Bran, 16, 126, 383

Brand-name medicines, 55, 333, 339, 420

Breakbone fever (See Dengue)

Breast abscess (mastitis), 278, 424

Breast cancer, 279

Breast feeding, w 12, 120–122

- and birth control, 285, 289, 294, 395
- and good nutrition, 114, 116, 304
- and preventing diarrhea, 154, 156
- of newborns, 271, 277, 405
- traditional beliefs about, 2, 7
- (Also see Breasts)

Breasts

- care of, 277, 279
- swelling of, 278–279

Breathing (respiration), 426

- difficulties, 23, 57, 168, 181, 274, 325, 410
- hot water vapors 47, 168
- of a sick person, 32
- rate, 32
- stopped, 80
- (Also see Lung diseases, Mouth-to-mouth breathing)

Breech delivery, 257, 268

Broad-spectrum antibiotics, 56, 58, 353, 356–359
Broken bones, 14, 98–99
Bronchitis, 170
Brucellosis (Malta fever), 27, 188
Bubos, 238, 403, 420
Bullet wound
 in arms or legs, 90
 in the belly, 15, 92–93
 in the head, 91
Burns, 13, 96–97
 and leprosy, 192
 of the eye, 219

C

Calcium
 and rickets, 125
 danger of injecting, 53, 67
 for spider bite, 106
 for weak bones, 246
 in eggshells, 116
Callus, 210
Cancer, 25, 412, 420
 and oral contraceptives, 288–289
 and smoking, 119, 149, 168
 of the breast, 279
 of the skin, 197, 211, 399
 of the womb, 280
Candida (See Moniliasis)
Canker sores, 232
Carbohydrates (energy foods), 110, 121, 420
Carbonated drinks, 115, 150
Cardon cactus, 13, 232
Cascara, 16
Cassava, 117, 130, 420
 for constipation, 16, 126, 383
Cast, 14, 98, 319, 420
Castor oil, 16
Cataract, 225, 323, 420
Catheter, 239–240, 336, 420
Causes of illness, w6–w7, w10, w27, 17–19
Cavities in teeth, 229–230, 420
Cellulitis, 212
Cereal, 152, 382
Cerebral malaria, 30, 178, 186, 367
Cerebral palsy, 320
Cerebro-vascular accident (CVA), 37, 78, 288, 327
Cervix, 288, 420
Chancre, 237
Chancroid, 236, 238, 403
Chemical burns of the eye, 219
Chest wounds, 91
Chickenpox, 204, 311
Chiggers, 201, 420
CHILD-to-child program, 322
Child Health Chart, w20, w24, 297–304, 420
Childbirth
 bleeding after, 264–265
 correct use of oxytocics, 265–266
 cutting the cord, 262–263
 difficult births, 267–269, 319

infection, 260, 276
 position of the baby, 257, 261, 267
 position of the mother, 260
 premature, 262
 preparing for, 254–256
 signs of labor, 258
 tearing of the birth opening, 269

Childbirth fever, 27, 276, 283, 420

Children

and diarrhea, 151–153, 159
 foods for, 112, 113, 120–122, 295
 giving injections to, 73
 growth of, 107, 297–304
 having the number you want, 283–294
 infectious diseases of, 311–315
 malnourished, 112–114, 154, 303, 305–306
 mentally slow, deaf, or deformed, 318
 problems they are born with, 316–321
 severely ill, 214
 vaccinations for, 147, 296
 (See also Babies, Newborns)

Chlamydia, 221, 234, 236–237, 356, 360, 379

Choking, 79, 314

Cholera, 158

Cigarettes (See Smoking)

Circulation, poor (See Varicose veins)

Circumcision, 74, 401, 404

Cirrhosis of the liver, 108, 148, 328

Cleanliness, 131–139

basic guidelines of, 133–139
 in childbirth, 260, 263
 of children, 136, 296
 of equipment, 74, 401
 of mouth and teeth, 229–231
 personal cleanliness, 39, 41, 133–135
 public cleanliness, 137–139
 to prevent infection, 74, 84, 401, 414
 when injecting, 68, 74, 401

Cleft palate, 318–319, 421

Climacteric (menopause), 246

Clitoris, 233

Clubbed feet, 319

Cocaine, 416–417

Coitus interruptus, 285, 294

Cold and hot sicknesses, 119

Cold compresses, 193–194

Colds and the 'flu', 45, 57, 163, 308
 diet with, 123

Cold sores or fever blisters, 48, 171, 232, 402

Cold weather, 408–409

Colic (gut cramps), 35, 145, 157, 421

Colostrum, 277, 421

Coma, 78, 421

Combination medicines, 52, 385

Combined methods of birth control, 285, 292

Comfort of a sick person, 39

Complications from abortion, 243, 414–415

Compresses, 193–195, 421

Condom, 239, 285, 286, 290, 396, 401–403

La Congestion, 23

Conjunctivitis, 219–221, 308

Constipation, 16, 126
 as a sign of acute abdomen, 94
 during pregnancy, 248
 treatment and prevention, 126, 383

Consumption (See Tuberculosis)

Contact dermatitis, 204, 421

Contraception, 284–294, 394–396

Contraceptive foam, 290, 396

Contractures, 314, 421

Convulsions, (See Fits, Spasms)

Cooperatives, w24

Cornea, 217, 218, 224, 225, 226, 228

Corn silk, 12

Corns, 210, 421

Cortico steroids, 51, 129, 364

Cortisone, 51

Cough, 168–169
 chronic, 168, 324, 400
 common causes, 168
 cough with blood, 140, 171, 174, 179
 medicines for, 52, 384
 smoker's, 149

Counting days method, 291–292

Cradle cap, 215

Cramps, 421
 gut, 12, 35, 106, 145, 147, 243, 381
 heat, 81

Cretinism, 318, 421

Crop rotation, w13, 115, 117, 427

Cross eyes, 223, 318

Crutches, how to make, 315

Cupping, 22, 421

Cuts, 84–86

CVA (Cerebro-vascular accident), 37, 78, 288, 327

Cyst, 143, 243, 280, 421

D

Dacryocystitis, 223

Dandruff, 215, 421

Dandy fever (See Dengue)

Dangerous illnesses, w28, 42, 179–192

Dangerous use of medicine, 50

Date of expiration, 332

Deafness
 home cure for, 11
 in children, 318
 with ringing and dizziness, 327

Death, accepting, 330

Decongestants, 164, 165, 421

Defects, birth, 7, 289, 316–321, 421

Deformities, 421
 from birth, 289, 316–321
 with leprosy, 191–192

Dehydration, 151–152, 421
 and diarrhea, 46, 155
 causing sunken fontanel, 9, 274
 danger of laxatives with, 15, 383
 medicine not to take, 52–53, 156
 prevention and treatment, 152, 156, 382–383

Delhi boil (See Leishmaniasis)

Delirium, 24, 421
 and malaria, 186
 and typhoid, 189

Dengue, 187

Dermatitis, contact, 204, 421

Diabetes, 127, 251, 410

Diaper rash, 215, 422

Diaphragm, 285, 290, 396

Diarrhea, 151–160
 and dysentery, 144–145, 153, 306
 babies with, 159, 271
 causes of, w7, 17, 107, 132–33, 135, 153, 399, 400
 causing sunken fontanel, 9
 home cures for, 11
 prevention of, w7, 46–47, 154
 severe, 151, 160
 treatment of, 58, 152, 155–158, 384
 with blood, 144–145, 157–158, 306, 401
 with vomiting, 151, 157
 with worms, 142

Diet, 421
 congestion and, 23
 for fever, 8
 for postpartum mothers, 8, 123, 276
 for sick persons, 40, 123
 for small children, 120–122
 for specific diseases, 40, 124–130, 154–156
 harmful ideas about, 123
 things to avoid, 119
 what to eat to stay healthy, 110–111
 while taking medicines, 123
 with oral contraceptives, 286
 (Also see Foods, Nutrition)

Diets for specific diseases, 40, 124–130
 acid indigestion, heartburn, and ulcers, 128–129
 anemia, 124
 constipation, 16, 126, 383
 diabetes, 40, 127
 diarrhea, 155–156, 159
 goiter, 130
 high blood pressure, 125
 people who are too heavy, 126

Digestion, 13

Diphtheria, 147, 296, 313–314

Direct pressure, 82

Disability
 how injections cause, 74, 314
 in children, 74, 314, 318–321

Diseases (see sicknesses)

Dislocations, 38, 101, 316, 422

Dizziness, 327, 249

Dolor de ijar, 22

Dosage information, 340

Double vision, 227

Douche, 241, 247, 258, 281, 292, 361, 422

Down's disease (mongolism), 318, 425

D.P.T. vaccination, 147

Drinking (alcohol), 148–149, 318, 325, 326, 328
 400, 416

Drowning, 79, 422
Drug abuse, 399, 401, **416–417**
Dry eyes, 107, 113, **226**, 392
Dry malnutrition (marasmus), 112–113
Dumdum fever (See Leishmaniasis)
Dysentery, **144–145**, 422
 (Also see Diarrhea)

E

Ears

how to examine a sick person's, 34
 infections of, 309
 nodes behind, 88
 ringing of, 107, 327

Earwax

, 405

Eclampsia (toxemia of pregnancy)

, 249, 422

Ectopic pregnancy

, 36, 243, 249, **280**, 414

Eczema

, 216

Emergency

problems of the gut, 93–95
 supply of medicines, 332
 use of injections, 66

Emergencies caused by cold

, 408–409

Emergencies caused by heat

, 81

Empacho

, 22

Emphysema

, 170

Enema

, 15, 76, 92, 422

Energy foods

, 110–111

Enterobius (pinworm, threadworm)

, 141

Epilepsy

, 38, **178**, 319, 389–391

Epsom salts

, 16

Erysipelas

, 212

Evaluation

, **w20**, 422

Evil eye

, 5, 422

Examining

a pregnant woman, 250–253
 a sick person, 29–38
 breasts, 279
 eyes, 33, 217
 eyesight, 223
 for appendicitis, 36, 95
 for hernia, 94, 317
 for knee reflexes, 183

Excision

, 404

Exhaustion, heat

, 81

Expectorants

, 52, 384, 422

Experimenting

, **w15**

Extra finger or toe

, 318–319

Eyes

, 217–228

cross eyes, 223
 danger signs, 33, 217
 dryness of, 107, 113
 examining the eyes, 33
 eye problems of older people, 323
 eye problems with leprosy, 192
 foreign objects in eyes, 48, 218
 of newborns, 221, 270, 379, 392
 red and painful, 219, 225
 yellow, 30, 172, 274, 328, 329

Eyesight testing

, 223

F

Face

dull, 318
 lumpy skin on, 191
 paralysis of, 37, 327

Fainting

, 78, 79, 81, 325, 327

Falciparum malaria

, 158, 186, 365

False labor

, 258

Family planning

, **w16**, 246, **283–294**, 394–396, 415

and infertility, 244

Farming

, **w13**, 412–413

Farsightedness

, **323**, 422

Fatigue

, 23, 124, **323**, 400

Fats

, **111**, 121

Feces

, 132, 242, 422

and infections, 84, 96, 131
 in home remedies, 11
 in newborn's mouth and nose, 268
 (Also see Stools)

Feces-to-mouth, disease spread from

, **131–133**, 140, 188

Feet

clubbed, 319
 loss of feeling in, 127, 162, 173, 191–192
 swelling of, 113, 124, 144, 176, 248 249, 323

Fertile days

, 244, **291**

Fetoscope

, **252**, 255, 422

Fever

childbirth, 27, 276, 283
 diet with, 8
 high, 15, 75–76, 335
 how to bring down, 75, 76, 335
 in children, 306
 in the newborn, 270, 273
 patterns in different diseases, 26–27, 30, 31

Fever blisters or cold sores

, 48, 171, **232**

La Fiebre

, 26

Filmstrips

, **w22**

Fire wood

, 135

First aid

, **75–106**, 422

Fits

, 23, **178**, 422

caused by high fever, 76
 from birth defects, 273, 319
 in cerebral malaria, 186, 367
 in children, 307, 319
 in meningitis, 185
 medicines for, 336, 389–391
 (Also see Spasms)

Flannel-graphs

, **w22**

Fleas

, 190

Flies

and disease, **w23**, 135, 227–228, 406
 before the eyes, 227, 323

Flu

, 45, 57, **163**, 308, 422

Flukes, blood

, **146**, 377, 422

Fluoride, for teeth

, 229

Foam, contraceptive

, 285, **290**, 396

Folic acid

, 118, 321, **393**, 422

Folk beliefs, 3, 6–8, 123

(Also see Home remedies)

Folk disease, 21–26**Follicles inside the eyelids, 220****Fontanel (soft spot)**

sunken, 6, 9, 151, 274

swollen, 274

(Also see Dehydration)

Food poisoning, 23, 103, 135, 153, 161**Foods**

at low cost, 116–118

for a person with diarrhea, 155–156

for sick persons, 41

for small children, 120–122

nutritious, 110–111, 295

plant, 116

producing, w11

spoiled, 103, 135

(Also see Diet, Nutrition)

Fractions, 59–60, 340**Fractures (See Broken bones)****Fright, 24, 422****Frostbite, 409****Frozen skin, 409****Fungus infection, 19, 58**

ringworm, tinea, 205–206, 372–373

thrush, 232

vaginal yeast, 242, 370

G**Gallbladder, 422**

home cure for, 12

pain in, 36

problems, 329

Gangrene, 213**Garlic, 12, 241, 242****Gastritis, 128–129***Gelusil, 173***Generic medicines, 333, 339, 423****Genital herpes, 402–403****Genital warts, 374, 402****Genitals, 205, 232, 233–244, 423**

sores on, 237, 402–403

German measles (Rubella), 247, 312, 320**Germs, 19, 423****Giardia, 145, 336, 368–370, 423**

and diarrhea, 153, 158

Gila monster bite, 106**Glaucoma, 33, 222, 323****Gloves, rubber or plastic, 255, 262, 264, 401****Glue sniffing, 416****Goiter, 10, 130, 423****Gonorrhea, 221, 236–237, 255, 360**

(Also see Sexually transmitted infections)

Grams, measuring in, 59–60, 423**Groin, lymph nodes in, 88, 238, 423**

(Also see Hernia)

Group discussions, w24 w27**Growth, children's, 107, 297–304***Guaco, 3***Guinea worm, 406–407****Gums, 229–232**

bleeding of, 107, 231

pale, 124

swelling caused by medicine, 231

Gut

cramps, 12, 106, 145, 157, 243, 381

emergency problems of, 35, 93–94

infection, 47, 131, 144–145, 153, 189

obstructed, 22, 94

out of anus (prolapse), 142

outside a wound, 92

wounds in, 92

(Also see Abdomen, Swollen belly)

H**Hair**

changes with malnutrition, 107

examination for lice, 200

loss of, 107

Hansen's disease (See Leprosy)**Hare lip, 318, 423****Hay fever, 165, 427****Head**

fungus infections of, 205

injury, 37, 78, 91

swollen lymph nodes on, 88

Headaches, 162, 249, 410**Health, w7, w11****Health worker, w1 w7, w29, 43, 246, 340****Heart**

attacks, 23, 325

confusion with heartburn, 128

trouble, 33, 310, 325, 410

Heartbeat, 32–33, 77**Heartburn, 423**

diet for, 128–129

during pregnancy, 248

medicines for, 381–382

medicines to avoid, 54, 64

Heat

cramps, 81

exhaustion, 81

stroke, 78, 81

Hemorrhage (See Bleeding)**Hemorrhoids (See Piles)****Hepatitis, 26, 172, 416****Herbal teas, 1, 8****Herbs, curative, 12–13, 423****Hereditary problems, 18, 318–319, 321, 423****Hernia, 177, 423**

during pregnancy, 256

in groin of newborn, 317

obstructing the gut, 94

Heroin, 416–417**Herpes simplex or labialis (See Cold sores)****Herpes zoster, 204, 400****Hexing, 2**

High blood pressure, 125, 249, 325–326, 411
History, taking, 20, 25, 29, 44, 250–253, 423
HIV (See AIDS)
Hives, 68, 166, **203**, 423
Home remedies, 1–3
 enemas and purges, 15
 for infertility, 244
 how to tell if they work, 10–11
 questions and answers about, 6–8
 sensible use of, w2, 24
Home visits, w24
Hookworm (Uncinaria), 133, **142**, 296, 307
Hordeolum (sty), 224
Hormones, 224, 287, 394, 423
Hot and cold sicknesses, 119
Hot compresses, **193–195**, 406
Housing, w10
Human immunodeficiency virus (See AIDS)
Hydrocele, 317
Hygiene (See Cleanliness)
Hypertension (See High blood pressure)
Hyperventilation, **24**, 423
Hyphema, 225
Hypochondria, 329
Hypopyon, 225
Hypothermia, 408
Hysteria, 2, 24, **423**

I

Illnesses (See Sicknesses)
Immunizations (vaccinations), 19, **147**, 296, 337
Impetigo, 25, **202**
Implants (birth control), 285, **293**, 397
Indigestion
 diet for, 128–129
 during pregnancy, 248
 medicines for, 381–382
 medicines to avoid, 54, 64
Infantile paralysis (See Polio)
Infants (See Babies, Newborns)
Infection, 423
 after giving birth, 276
 and diarrhea, 154, 157
 in newborns, 182–183, 275
 in wounds, 88–89, 96, 213
 medicines for, 55–58, 335–336
 minor, 58
 of the appendix, 94–95
 of the eyes, 217, 219, 220, 221
 of the genitals, 236–239, 241–242
 of the gut, 94–95, 135, 140–146, 243
 of the tear sac, 223
 of the urinary tract, 234–235
 resisting, 108, 120, 271
 signs of a serious, 88, 194, 272–275
Infectious diseases, **18–19**, 135, 423
Inferon, 51, 67
Infertility, 244
Inflamed tonsils (tonsillitis), 309

Injections, 65–73
 dangerous reactions from injections, 54, 70–71
 emergencies needing, 66
 faith in, w19, 4, 50
 medicines not to inject, 51, 56, 67
 of vitamins, 118
 risks and precautions, 68–69
 supplies for, 336
 that can disable children, 74, 314
 to prevent pregnancy, 285, 293, 396
 when to inject, 65, 67
Injury
 moving an injured person, 99–100
 of an unconscious person, 78
 severe, 33
 to the eye, 218
Insecticides, 19, 103, 187, 373, **412–413**, 423
Insomnia (loss of sleep), **328**, 423
Intestinal worms, 13, **140–145**, 423
Intestines (See Gut)
Intrauterine device (IUD), 281, 285, **290**, 396
Intravenous solution (I.V.), 40, **53**, 67, 152
Intussusception, **94**, 424
Iodized salt, **130**, 318
Iritis, 33, 219, **221**
Iron
 cooking pots, 117
 foods rich in, 124
 from nails in lemon juice, 118
 pills, 51, 118, 124, 307, 335, 393, 405
Itching
 caused by fungus, 205, 242
 caused by medicines, 68, 70–71, 166
 caused by plants, 204
 medicines for, 335, 386
 of hands with syphilis, 238
 of the anus (pinworm), 141
 rashes, allergies, 68, 166, 203, 236, 238
 with chickenpox, 311
 with scabies, 199
 with worm infections, 140–142, 228
IUD (intrauterine device), 281, 285, **290**, 396

J

Jaundice, 30, **172**, 274, 318, 321, 328–329, 393, 424
Jock itch, 205
Joints, painful, 101–102, 173, 310, 324

K

Kala azar (See Leishmaniasis)
Kangarooing, **405**, 408
Kidneys, **233–234**, 424
Kidney stones, **235**, 424
Kilograms, measuring in, **62**, 424
Kwashiorkor (wet malnutrition), 30, **113**, 424

L

- Labor, 258–262**, 264, 424
false labor, 258
problems with labor, 267
signs that show labor is near, 258
stages of, 259–262
(Also see Childbirth)
- Land**
distribution of, w7, w11, 413
use of, w11, w13–w16, 115
- Latido*, 23
- Latrines**, 137–139, 153
- Laxatives, 15–16**, 383
misuse of, 126
- Lazy eye**, 223
- Leadership**, w5
- Learning**, w4, w21–w28, **322**
- Legs**
crossed like scissors, 320
examination of legs, 37
pain in, 288, 321
- Leishmaniasis**, 406
- Lepra reaction**, 191, 364
- Leprosy**, 10, **191–192**, 206, 337, 363–365
or lepra, 25
- Lice**, 134, 190, **200**, 373
- Limits, knowing**, w4
- Liquids, 39–40**, 151
- Liters, measuring in**, 61, 424
- Liver, 36**, 424
abscesses, 144–145
diseases, 172, 288, 328
infection of, 172
- Liver extract**, 65, **67**
- Lockjaw** (See Tetanus)
- Loss of blood** (See Blood, Bleeding)
- Loss of consciousness** (See Unconscious person)
- Loss of feeling, 38**, 127, 162, 173, 191, 192, 279
- Loss of sight**, 225, 412
- Loss of sleep (insomnia)**, 328
- Loss of weight** (See Weight loss)
- Low body temperature**, 409
- Low back pain, 173**, 248
- Low blood pressure**, 411
- Lumps**
in the abdomen, 35, 243, 280
in the breast, 279
on face and body, 191, 228
that keep growing, 196, 280
(Also see Lymph nodes)
- Lung diseases**
and smoking, 149
asthma, 167
bronchitis, 170
pneumonia, 171
tuberculosis, 179
- Lymph nodes, swollen, 88**, 317, 424
caused by an abscess, 202
in the groin, 238, 403

- signs of infection, 194
TB of, 212
with AIDS, 400
with breast cancer, 279
with brucellosis, 188 or typhus, 190
with German measles, 312
with scabies or lice, 199, 200
- Lymphogranuloma venereum, 238**, 420

M

- Maalox*, 173
- Malaria, 186–187**
falciparum, 158, 365
fever pattern, 26
medicines for, 337, 365–368
with sickle cell disease, 321
- Malnutrition**
and diarrhea, 153–155
causes of, 115, 283, 412
checking for, 109, 112–113, 297–304
during pregnancy, 248
in children, 107, 114, 305–306
kinds of, 112–114
prevention and treatment of, 108, 109,
112–113, 155–156, 392–394
problems caused by, 107, 306
signs of, 30, 37, 108, 112, 113, 208–209, 305
- Malta fever (brucellosis)**, 27, **188**
- Marasmus (dry malnutrition)**, 112
- Marijuana**, 416
- Mask of pregnancy**, 207
- Massaging**
sprains or fractures, 99, 102
the birth opening, 269
the womb, 264–265
- Mastitis (breast abscess)**, 278, 424
- Measles (Rubeola)**, 30, 108, 226, **311**, 392
vaccination, 147, 312, 321
- Measuring**
blood pressure, 410–411
in pounds and kilos, 62
medicine, 59–61, 340
- Medical attention**
illnesses that always need, 179–192
when to seek, 43, 159
- Medicinal plants**, 12–13
- Medicine kit**, 331–337
- Medicines**
brand name, 55, 333, 339
care in giving to the newborn, 54, 272
dangerous misuse of medicine, 50–53
during or after birth, 266
during pregnancy, 54, 247, 398
for small children, 62
generic, 333, 339
guidelines for use, w18–w19, 49–73, 339–396
healing without medicines, 45–48
how to measure and give, 59–64, 340
how to write instructions for, 63–64

limited use of medicines, w18–w19, 49
 medicines not to inject, 56
 reactions to, 68, 70–71, 351
 uses, dosage, and precautions, 339–398
 when not to take them, 54–64

Ménière's disease, 327

Meningitis, 185, 274, 307

Menopause, 246, 424

Menstrual period, 245–246, 281, 285, 294, 394–397

Mental problems, 18, 114, 318

Microscope, 19, 144

Midwives

danger signs in pregnancy, 249
 information for, 245–282
 prenatal care, 250
 special risk at birth, 256
 things not to do, 260
 things to have ready before birth, 254–255

Migraine, 162, 424

Milk

and brucellosis, 188
 and diarrhea, 156
 and ulcers, 129
 powdered, 392
 (Also see Breast feeding)

Milk of magnesia, 16, 383

Mineral oil, 16, 383

Minerals, 111, 116–118, 425

Mini pill, 289, 294, 395

Miscarriage (spontaneous abortion), 246, 249, 266, 281, 414

Models for teaching, w22

Mongolism, 318, 425

Moniliasis (thrush), 232, 242, 400

Morning sickness, 248, 287

Mosquitos, 186–187

Mothers

health after childbirth, 276, 280
 health and sicknesses of children, 295–321
 information for, 245–282
 prenatal care, 250–253
 (Also see Family planning)

Mouches volantes, 227

Mouth, 107, 229–232

Mouth-to-mouth breathing, 78–80, 413
 with newborns, 262

Moving an injured person, 99–100

Mucus, how to drain, 169, 425

Mucus method, 285, 292

Mumps, 312

Muscles

examining, 37–38
 lack of control of, 320

N

Narrow-spectrum antibiotics, 56, 425

Natural balance, 58

Nausea (See Vomiting)

Navel (umbilicus), 425

cutting the cord, 262–263
 hernia of navel, 317, 318
 infection of navel, 182, 272

Neck

broken, 99
 stiff, 38, 182–185, 274

Needs, felt and long-term, w8–w12

Needles, 74, 399, 401

Neonatal conjunctivitis, 221
 (Also see Newborns)

Nerves, 425

muscles and, 37–38

Nevirapine, 249, 400

Newborns

and tetanus, 182–183
 bacterial infection of the blood, 275
 bathing, 7, 263, 270
 eyes, 221, 237, 270
 feeding, 120, 263, 271
 hernia, 317
 illnesses of, 272–275
 medicines for, 54, 272, 337
 problems with delivery, 268
 small, early, and underweight, 405
 the cord, 262–263, 270
 twins, 269
 (Also see Dehydration)

Night blindness, 113, 226–227, 337

Nodes (See Lymph nodes)

Non-infectious diseases, 18

Nose, stuffy or runny, 164–165, 384

Nosebleed, 11, 83

Numbness (See Loss of feeling)

Nutrition, w11, w13–w16, 107–130, 295
 (Also see Malnutrition)

O

Obstructed gut, 22, 94

(Also see Gut)

Older persons, 83, 214, 235, 323–330

Onchocerciasis, 227–228, 378

Opium, 416

Oral contraceptives, 285–289, 394–395

Outhouses, 137–139

Ovarian cyst, 280

Ovaries, 36, 280, 425

Oxytocics, 50, 265–266, 319, 391

Oxyuris (pinworm, threadworm), 141

P

Pain

asking about, 29
 back, 173–174, 248
 chest, 179, 325
 in the belly, 12, 35–36, 94–95, 128, 146, 243
 in the eye, 217, 219, 221, 222
 in the joints, 101–102, 173, 310, 324

in the leg, 288
 in the teeth, 165, 231
 in urination, 146, 235–236, 239, 242–243
 medicines for, 19, 52, 75–76, 162, 335, 379–380
 (Also see Cramps, Headaches)

Pannus, 220**Pap smear**, 280**Papaya**, 13**Paralysis**

examining for, 37
 from pesticides, 412
 from ticks, 201
 in a spastic child, 320
 in leprosy, 191
 in polio, 314–315
 in stroke, 37, 327
 in TB of backbone, 180
 of face, 37, 327

Parasites, 19, 425

intestinal, 19, 140–145, 308
 on skin, 19, 199–201

Patient report, 44**Pellagra**, 114, 208–209**Pelvic inflammatory disease**, 237, 243, 244, 396**Penis**, 199, 232, 233, 235–240, 402–403**Peritonitis**, 94–95, 129, 189, 425**Pertussis** (See Whooping cough)**Pesticides**

burns in eyes, 219
 causing birth defects, 247
 misuse of, 412–413

Pharmacist, words to, 338**Phlebitis**, 288**PID** (See Pelvic inflammatory disease)**Piles (hemorrhoids)**, 16, 175, 423

during pregnancy, 248
 medicine for, 392

the Pill (for birth control), 285–289, 394–395**Pimples**, 211, 419

(Also see Chickenpox)

Pink eye, 219–221, 308**Pinta**, 207**Pinworm (threadworm, Enterobius)**, 12, 141**Placenta (afterbirth)**, 262–264, 269, 426**Placenta previa**, 249, 426**Plantar warts**, 210**Plants**

medicinal, 12–13
 that cause itching, 204

Play acting, w23**Pneumonia**, 27, 41, 171, 399, 400, 413**Poisoning**, 103, 398

food, 23, 135, 153, 161
 of pregnancy, 249, 422
 urine, 239–240

Poisonous

bites, 104–106
 plants, 204

Poliomyelitis (infantile paralysis), 314

signs of, 37
 vaccination, 147, 296, 314

Population, w10, 115**Posters**, w22**Postpartum**, 426

diet, 123
 hemorrhage, 266, 391

Postural drainage, 169**Power of belief or suggestion**, 2–5, 24, 426**Pre-eclampsia (toxemia of pregnancy)**, 249**Pregnancy**, 247–255

anemia during, 124, 248–249, 392, 393
 bleeding during, 249, 264, 281
 check ups during, w24, 250–253, 410
 danger signs in, 249–251
 difficulty becoming pregnant, 244
 ectopic, 36, 243, 249, 280, 414
 German measles during, 247, 312
 growth and position of baby, 251–252, 257
 how to prevent, 283–295
 how to stay healthy during, 247
 how to tell the baby's birth date, 252
 medicines during, 6, 54, 247, 398
 minor problems of, 174, 248, 251
 nutrition during, 118, 250
 record of prenatal care, 253
 signs of, 247
 supplies to have ready before birth, 254–255
 (Also see Family planning)

Pregnancy mask, 207**Prenatal care**, 250–253**Presentation of an arm**, 268, 426**Pressure sores** (See Bed sores)**Preventive medicine**, w17, 17, 131–150

cleanliness, 131–136
 how to avoid many sicknesses, 108, 148–150,
 242, 326
 sanitation, 137–139
 sexually transmitted infection, 239, 401–403
 vaccinations (immunizations), 147
 worms and other intestinal parasites, 140–146

Prolapse of the rectum, 142, 426**Prophylactic (condom)**, 239, 285, 290, 396, 401–403**Prostate gland**, 233, 235–236, 426**Protective foods**, 110, 426**Proteins**, 110, 111, 112, 113, 116–118, 121**Psoriasis**, 216**Pterygium**, 224, 426**Pulling out (to prevent pregnancy)**, 285, 294**Pulse**, 32–33, 41, 410–411, 426, inside back cover**Pulsing or throbbing of stomach**, 23**Pupils, examining**, 217**Purges**, 15–16

misuse of, 92, 126

Pyorrhea, 231**Q****Questions to ask a sick person**, 29, 44

R

- Rabies**, 181
- Rash on the skin**, 216, 236, 400
 diaper rash, 215, 421
 like tiny bruises (typhus), 190
 of allergic reaction, 68, 166, 203–204, 358
 of chickenpox, 311
 of German measles, 312
 of measles, 30, 311
 of syphilis, 238
 of typhoid, 189
 preventing, 133
 with itching, 199–200, 203
- Reactions** (See Allergic reactions)
- Rebound pain**, 35, 95, 426
- Rectum**
 prolapse of, 142, 426
- Reflexes, testing**, 183, 426
- Rehydration Drink**, 152, 311, 382–383, 400, 426
 and vomiting, 161
 as an enema, 15
 for acute abdomen, 95
 for dehydration, 9, 46, 158, 306
 for newborns, 273
 for very sick persons, 40, 53
- Remedies** (See Home remedies)
- Resistance**, 426
 to antibiotics, w19, 57–58, 237, 351
 to infection, 108, 120, 271
- Resources**, w8, w12, 115, 283, 426
- Respiration** (See Breathing)
- Retardation, mental**, 114, 306, 318, 320–321, 426
- Rheumatic fever**, 27, 310
- Rheumatoid arthritis**, 324
- Rhinitis, allergic (hay fever)**, 165, 426
- Rhythm method**, (See Counting days method)
- Ribs, broken**, 99
- Rickets**, 125
- Ringling of the ears, deafness, and dizziness**,
 107, 327, 359, 363, 379
- Ringworm**, 11, 205–206, 372
- River blindness**, 227–228, 378
- Road to health chart** (See Child Health Chart)
- Rotating crops, w13**, 115, 117, 427
- Roundworm (ascaris)**, 140–141
- Rubber (condom)**, 239, 285, 290, 396, 401–403
- Rubella** (See German measles)
- Rubeola** (See Measles)
- Rupture** (See Hernia)

S

- Salt**
 iodized, 130, 247, 318
 purges, 16
 using little, 120, 125, 176, 249, 325, 326
- Sanitation**, w10, 137–139, 153, 427
- Scabies**, 34, 199–200, 335, 373
- Scales (to weigh babies)**, 297
- Scars**
 on the cornea, 224, 226, 228
 on the eyelids, 220
 preventing burn scars, 97
- Schistosomiasis**, 146, 337, 377
- Scorpion sting**, 11, 106, 337, 388
- Scrofula**, 212
- Scrotum**, 233, 427
 small sores on, 199
 swollen, 317
- Seborrhea**, 215
- Senna leaf**, 16
- Septicemia**, 275, 427
- Serious illnesses**, w28, 42, 179–192
- Seven year itch**, 199–200, 335, 373
- Sexually transmitted infections (STI)**, 236–239,
 285–286, 290, 399–403, 427, 428
- Sheath (condom)**, 239, 285, 290, 396, 401–403
- Shigella**, 145, 158, 354, 359
- Shingles**, 204, 400
- Shock**, 30, 77, 325, 427
 allergic, 70, 105, 166, 351
 from serious burns, 97
 heartbeat during, 33, 410–411
 in postpartum mother, 265
- Shoulder, dislocated**, 101
- Sickle cell disease**, 30, 321, 393
- Sicknesses**
 causes of, 17–20, 107
 common, 151–178
 dangerous, w28, 42, 179–192
 “home,” 21
 “hot” and “cold,” 119
 infectious, 18–19
 non infectious, 18
 of children, 215, 272–275, 311–314
 of older people, 323–330
 of women, 241
 prevention of, 131–150
 spread of, 131–137, 140, 188–189, 237–239, 399
 telling apart, 20–21, 26–27
- Side pains**, 22
- Signs**, 20, 29, 427
- Sinus trouble (sinusitis)**, 165, 427
- Skin**
 cancer of, 211, 399
 chart of different diseases, 196–198
 diseases, 193–216, 406, 421
 dryness of, 107, 208
 how to examine, 34
 in children, 215, 308
 medicines for, 334–335, 371–374
 painless sores, 191, 237, 279
 TB of, 179, 212
 ulcers, 212–213
- Slipped disc**, 173
- Slowness** (See Defects, Mental problems)
- Smallpox**, 147
- Small sores with pus**, 201, 211
- Smoking**
 during pregnancy, 318, 416
 problems caused by, 119, 129, 149–150, 289,
 325, 326, 400, 416

Snails, 146

Snakebite, 104–105
antitoxin, 105, 337, 388
home cure for, 3

Soaks, 102

Social conditions, 283, 401, 415, 417

Soft drinks, 155, 161, 229

Soft spot (See Fontanel)

Solda con solda, 14

Sores

bed sores, 41, 214
chronic, 20, 127, 212, 213, 236, 324, 406
large, open, 127, 213–214
mouth, 232
of the feet, 324
on penis or genitals, 199, 205, 232, 237, 238,
242, 400, 402–403
sugar or honey treatment for, 213, 214
that keep growing, 127, 191, 211, 213, 214
without feeling, 191, 237, 279
with pus, 199, 201, 406
(Also see Skin)

Sore throat, 163, **309–310**

Spasms, **183**, 427
in spider bite, 106
in tetanus, 182–184
(Also see Fits)

Spastic, 38, **319–320**

Sperm, 233, 244

Spermicide, 285, 396

Sphygmomanometer, 410

Spider bite, 106

Spleen, large, 158, **186**, 393, 427

Sponge method, 294

Spontaneous abortion (See Miscarriage)

Spots before the eyes, 227

Sprains, **102**, 427

Spread of disease, **131–137**, 140, 190, 237–239,
399–403

Squint, 223

Starches, 110, 203, 408, 427

Starvation (See Malnutrition)

Sterile, 427

bandages, 87
men and women, 236, 244, 412

Sterilization, 427

of equipment, 74, 401
of syringes, 69, 72, 74
to prevent pregnancy, 285, 293

Steroids, 51

Stethoscope, 410

Sting

bee, 70
scorpion, 106

Stitches (sutures), **86**, 255, 269, 423
anesthetics for, 380

Stomach ache, 12, **93**, 427
(Also see Belly, Cramps)

Stomach ulcers, **128–129**, 149, 381–382

Stools

in acute abdomen (obstruction), 94

in diarrhea (dysentery), 144–145
like rice water, 158
white or pale, 172
with blood, 128, 146, 189
with schistosomiasis, 146, 377
with typhoid, 189–190
with ulcer (black, tarry stools), 128
(Also see Constipation, Feces)

Story telling, w23

Strabismus, 223

Strains, 102

Strep throat, 310

Stretcher, **100**

Stroke, 37, 78, 288, 327, 410
(Also see Heat stroke)

Sty (hordeolum), **224**, 427

Suction bulb, 84, **255**, 262, 268

Sugars, 110, **111**, 382, 427

Sulfonamides, **55**, 358

Sunken fontanel (See Fontanel)

Sunlight

and acne, 211
and rickets, 125
and skin problems, 195

Supplies

for childbirth, 254–255
for the medicine kit, 334, 336

Suppressants, 427

cough, 52, 384

Surgery

immediate need for, 91–95, 177, 222, 267
possible need for, 102, 175, 177, 211, 222,
225, 235, 243, 279, 280, 293, 317, 319, 329

Susto, 24

Suture (See Stitches)

Sweets, 115, 119, 122, 229, 408

Swelling

breast swelling and lumps, 278–279
caused by medicine, 68, 70–71, 231
home cure for, 12
in old age, 323
of broken arms or legs, 14
of hands and face, 108, 239, 249
of strains and sprains, 102
of the eyes, 144, 221, 313
of the feet, 113, 124, 144, 176, 248–249, 321
of the scrotum or testicles, 312, 317
with infection, 194
(Also see Lymph nodes, Swollen belly,
Varicose veins)

Swollen belly

different causes of, 20
in children, 107, 112, 114, 321
in giardia infection, 145
in gut obstruction, 94
in malnutrition, 112, 114
in pregnancy, 248, 249
(Also see Gut)

Symptoms, 29

Syphilis, 10, **237–238**, 403

Syringe, **72**, 74, 336, 339, 401, 405

T

Taboo, 23, 428
T.A.L.C., 297, 429
Tapeworm, 143, 376
TB (See Tuberculosis)
Teaching, w2, w4–w5, **w21–w28**, 321
 materials, addresses for, 429–432
Tear sac, infection of, 217, **223**
Teaspoons, for measuring, 61
Teeth, 133, **229–232**
Temperature, **30–31**, 272, 409, inside back cover
 (Also see Fever)
Tepeguaje, 14
Testicles, 233
 swellings of testicles, 312, 317
Tetanus (lockjaw), 182–184
 from a wound, 84, 89, 407
 in the newborn, 182–183, 273
 medicine for, 336–337, 389–390
 vaccination, 147, 184, 296
Thalassemia, **393**, 428
Thermometer, **31**, 334
Threadworm (pinworm, Enterobius), 141
Throat
 lump on the throat, 10, 130, 423
 object stuck in, 79
 sore throat, 163, 309–310
Throwing up (See Vomiting)
Thrush (moniliasis), 232, 242, 400
Ticks, 190, **201**, 428
Tinea, 205–206
Tinea versicolor, 206
Tobacco, 129, 416–417
Tongue, 232
Tonsillitis (Inflamed tonsils), 309
Toothache, 231
Toothbrush, homemade, 230
Toothpaste, 230
Toxemia of pregnancy (eclampsia), **249**, 422
Trachoma, 220
Traditions, w3, w11, 1, 2, 21
Trichinosis, 144
Trichocephalus (whipworm, Trichuris), 142
Trichomonas, 241
Trichuris (whipworm, Trichocephalus), 142
Tropical sore (See Leishmaniasis)
Tubal ligation, 293
Tuberculosis, 108, **179–180**, 337
 and AIDS, 397, 400
 and children, 136
 and measles, 311
 medicines for, 361–363
 of the lymph nodes, 212
 of the skin, 212
 of the spine, 173
 signs of, 30, 37
 vaccination, 147
Tumors (See Cancer)
Twins, 251, 256, **269**, 289
Twisted joint (sprain), 102

Typhoid fever, 188–190

fever pattern, 26
 medicines for, 357–358
 pulse with, 33
 resistance to medicines, 58

Typhus, 26, **190**

U

Ulcer, 428
 on the cornea (eye), 224–225
 skin, 20, 212, 213, 324
 stomach, 13, 36, 53, 128–129, 149, 382
Umbilical cord, 428
 and tetanus, 182
 how to cut, 262–263
 infection of, 270, 272
 wrapped around the baby's neck, 268
Umbilical hernia, 317, 318, 428
Umbilicus (See Navel)
Unclnaria (hookworm), 133, **142**
Unconscious person, **78**, 424
 breathing of, 32
 difference in pupil size, 33
 in shock, 77
Under-Fives Program, w20, w24, **297**, 428
Undulant fever (brucellosis), 27, **188**
Units, measuring in, 60
Uremia, 239–240
Ureters, 233
Urethra, 233, 235, 428
Urination, difficulties with, 234–236, 239–240,
324, 403, 410
Urinary tract, 36, **233–234**, 428
Urine
 blood in, 146, 234, 377
 brown, 172
 dark yellow, 151
 less than normal, 151, 236
 too much or often, 127, 234
 pus in, 236
Using this book, inside front cover, w28
Uta (See Leishmaniasis)

V

Vaccinations, 19, **147**, 180, 250, 296, 321, 337,
 405
Vagina, **233**, 428
 infections of, 241–242, 370
 placenta blocking, 249
 tearing during birth, 269
Vaginal discharge, **241–242**, 370–371
Vapors, breathing hot water vapors, 47, **168**
Varicose veins, **175**, 213, 288, 410, 428
 and chronic sores, 20, 212, 213, 324
 during pregnancy, 248
Vasectomy, **293**

Veins, inflamed, 288

(Also see Varicose veins)

Venereal diseases (VD) (See Sexually transmitted infection)**Venereal lymphogranuloma**, 238, 420**Ventilated improved pit latrine**, 139**Verrucase (warts)**, 210**Village health committee**, w24**Village health worker**, w1–w7, w29, 43, 340**Village medicine kit**, 336–337**Village storekeeper**, 338**VIP latrine**, 139**Virus**, 19, 399–401**Vision** (See Eyes)**Vital signs**, 41, inside back cover**Vitamins**, 110, 111, 116–118, 392–394, 405

injections of, 65, 67, 118

the best way to get, 52, 118

vitamin A, 226, 392

vitamin B, 208

vitamin C, 248, 335,

vitamin B₆, 361, 394vitamin B₁₂, 51, 65, 393

vitamin K, 265, 272, 337, 394

(Also see Iron)

Vitiligo, 207**Vomiting**, 161

during pregnancy, 248, 249

enemas and laxatives with, 15

how to cause vomiting, 103, 389

in the newborn, 273

medicines for, 161, 335, 386–387

violent vomiting, 151

with blood (cirrhosis), 328

with blood (ulcer), 128

with diarrhea, 151, 157

with urine poisoning (uremia), 239

W**Wandering eyes**, 223**Warm compresses**, 193–195**Warts**, 210, 212, 400, 402**Water, healing with**, 45–48

and cleanliness, 46, 131, 135, 137–139, 144, 146

and spread of disease, 146, 188

for fever, 75

to ease pain of burns, 96

vapors, 47, 168, 384

Weakness, fatigue, 23, 124, 323, 400**Weight**

and diet, 110–111, 127

deciding dosage by, 340

homemade scales, 250

importance of losing, 125–127, 325–326

in pounds and kilos, 62

measuring medicines, 59–61

weight gain, in children, 297–304

weight gain in pregnancy, 247, 250

Weight loss

chronic, 179, 180, 400

different causes, 20

how to lose weight, 126

in the newborn, 273

sudden (dehydration), 151

(Also see Malnutrition)

Welts (hives), 68, 203, 238**Wet malnutrition (kwashiorkor)**, 113**Whipworm (Trichuris, Trichocephalus)**, 142**White spots and patches on the skin**, 206–207, 232**Whooping cough (pertussis)**, 168, 313

medicines for, 336

vaccination, 147, 296

Witchcraft, 5, 24**Withdrawal**

from drug addiction, 417

to prevent pregnancy, 285, 294

Womb, 428

cancer of, 280

contractions of, 258, 266

massaging, 264–265

position of the baby in, 251, 257

Women's health care, 241**Working together**, w5, w24**World Health Organization**, 49, 432**Worms**, 140–146, 227–228, 406–407

causing obstructed gut, 94

in children, 308

medicines for 335, 374–376

prevention of, 47, 131–134

Wounds

abdomen, 92

bullet, 90–93

chest, 91

controlling bleeding of, 82

deep, 89–92

from a broken bone, 99

how to close them, 85–86

infected, 88–89, 213, 401

knife and bullet, 89–93

medicines for, 93, 334

small, 84

that may cause tetanus, 89, 182

to the eye, 217–218

X**Xerophthalmia**, 113, 226, 306, 337, 392, 428**Xerosis** (See Xerophthalmia)**X ray**, 102**Y****Yeast infection**, 58, 232, 242, 370–371, 373**Yesca**, 11**Yogurt**, 57, 232, 242